Industriegewebe // Industrial Mesh

TECHNISCHE DATEN // **PPS - POLYPHENYLENSULFID** GEWEBE

TECHNICAL DATA // **PPS - POLYPHENYLENE SULFIDE** MESH



PVF MESH & SCREEN TECHNOLOGY

Material	Gewebecode	Maschen-weite	Offene Fläche	Fadenanzahl Kette /Schuss	Fadenanzahl Kette / Schuss	Faden-durchmesser	Gewebedicke	Webart
material	mesh code	mesh opening	open area	thread count warp / weft	thread count warp / weft	thread diameter	mesh thickness	weaving
PPS		**µm**	**%**	**cm**	**inch**	**µm**	**µm**	
PPS	0030/25TW	30	25	165	420	30	56	TW
PPS	0042/30TW	42	30	130	330	35	66	TW
PPS	0059/39PW	59	39	106	270	35	57	PW
PPS	0078/48PW	78	48	89	225	35	60	PW
PPS	0113/47PW	113	47	59	150	56	99	PW
PPS	0154/37PW	154	37	39	100	100	193	PW
PPS	0218/47PW	218	47	32	80	100	203	PW
PPS	0243/45PW	243	45	28	70	120	253	PW
PPS	0273/42PW	273	42	24	60	150	292	PW
PPS	0358/50PW	358	50	20	50	150	282	PW
PPS	0485/58PW	485	58	16	40	150	318	PW
PPS	766x597/53PW	766x597	53	10/12	25/30	250	508	PW

Die technische Daten beziehen sich auf durchschnittlichen Werte, die bei Produktionsmustern festgestellt wurden, mit Ausnahme von Fadendurchmesser, wofür der Nominalwert ausgedrückt wird. Durch die Kontrolle und Verbesserung unserer Produkte behalten wir uns die Änderung der technischen Daten jederzeit vor.

The listed technical specifications, exception made for the thread diameter indicated with its nominal value, are referred to the arithmetic mean value of production samples and are subject to change, in accordance of improving our products.

PPS

Polyphenylensulfid

Polyphenylene sulfide

PVF Mesh & Screen Technology GmbH | Adalbert-Stifter-Weg 30 | 85570 Markt Schwaben | **T** +49 8121 4784-0 | **F** +49 8121 4784-10 | **E** info@pvfgmbh.de | **I** www.pvfgmbh.de